

Patent

UNITED STATES PATENT APPLICATION
FOR

A METHOD AND APPARATUS FOR NETWORK BASED CUSTOMER
SERVICE

INVENTORS:

FRANK A. GALDES
MARK A. ERICSON

PREPARED BY:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CA 90025-1026

(408) 720-8598

ATTORNEY'S DOCKET NO. 003395.P001

Express Mail Certificate


"Express Mail" mailing label number: EL034146954

Date of Deposit: August 21, 1998

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service
"Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has
been addressed to the Assistant Commissioner for Patents, Washington, D. C. 20231

Edith Fuentes

(Typed or printed name of person mailing paper or fee)



(Signature of person mailing paper or fee)

8-21-98

(Date signed)

00137989.08198

A METHOD AND APPARATUS FOR NETWORK BASED CUSTOMER SERVICE

FIELD OF THE INVENTION

The present invention relates to customer service, and more
5 specifically, to network based customer service.

BACKGROUND

A recent business trend is to reduce help desk traffic by promoting the
Internet as a way for customers, and individuals within^a the corporation, to
access information. The Internet is particularly suited for this because of its
10 global reach and relatively easy accessibility.

One prior art method of providing customer service is by posting a
question in a Question and Answer (Q&A) list, and waiting until either
service personnel or other customers provide an answer by posting it to the
same Q&A list. The answer may or may not be correct.

15 Another prior art Internet based customer service solution is posting a
large "frequently asked questions" (FAQ) list that answers most typical
questions.

While using the Internet reduces costs, for most prior art systems it
reduces customer satisfaction. The customer does not feel that he or she is
20 receiving individual attention. Furthermore, there is no assurance that the
answer is correct for the specific situation in which the customer finds
himself or herself.

One prior art method of providing more interactive customer service
on the Internet is a web based help-desk. The customer logs on to a "help
25 page," that is separate from the area in which the customer had trouble. The
customer then fills out a help request, including answering a series of

2

003395.P001

questions regarding the problem. While the customer is connected to this help page on the Internet, the customer's computer system sends configuration information to service technicians. The service technicians evaluate the data from the computer and the help request. The service

5 technicians then call the customer to discuss the problem.

However, this requires the same amount of help desk traffic as a direct 800 number help desk. Additionally, filling out the help request is a chore that takes considerable time. Furthermore, some customers do not like having the contents of their personal computers surveyed, especially if at

10 least some sections of that computer are not relevant to the problem, and contain private information. In addition, the customer must leave the web page on which he or she encountered the problem to log on to the help page to start this help process. This interrupts normal work, and is a hassle.

003395.P001

3

SUMMARY OF THE INVENTION

a A method and apparatus for ^{improving} network based customer service is
as follows described. In response to a client requesting help, a menu including three
5 levels of interaction is displayed. One level of interaction is self-help
searching in a database of information. A second level of interaction is
asynchronous help, requesting help and receiving a reply. The third level of
interaction is synchronous help, interaction with an advisor. If the client
selects synchronous help, the method includes the steps of alerting the
advisor and displaying a list of previously visited sites by the client to the
10 advisor. The synchronous help method further includes providing a
synchronized display between the client and the advisor, such that the
15 advisor sees an identical display to the ~~client~~.

A2

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example, and not by way of limitation, in the figures of the accompanying drawings and in which like reference numerals refer to similar elements and in which:

5 Figure 1 illustrates one embodiment of a network including a client and server system.

Figure 2 illustrates one embodiment of a server system in which the present invention may be implemented.

Figure 3 illustrates one embodiment of a help system block diagram.

10 Figures 4 illustrates one embodiment of an overview flow chart of the collaborative process.

Figure 5 illustrates one embodiment of a flowchart illustrating a self-help search.

15 Figure 6 illustrates one embodiment of a flowchart of asynchronous help.

Figure 7 illustrates one embodiment of a flow chart of synchronous help.

Figure 8 illustrates one embodiment of slider bars.

DETAILED DESCRIPTION

A method and apparatus for a network based customer service is described. As more and more information becomes available through a network such as the Internet, LAN, WAN or similar network, customer service should improve commensurably. A network based customer service, that allows a company to provide services in a faster and more organized matter, is advantageous.

Figure 1 illustrates a network including a client and server system. A customer 110 is coupled to a network 120. The network 120 may be the Internet, a LAN, a WAN, or a similar network 120. The customer 110 has access to a database 140 and corporate web site 150 through the network 120. The corporate web site 150 may implement a help system as described below. Alternatively the customer's system 110 may implement the help system.

An advisor 130 may be coupled to the network 120. The advisor 130 may be a customer service representative, another customer, an automated system, or any other mechanism that provides help to the customer 110. For one embodiment, the advisor 130 is not always coupled to the network 120. Furthermore, a voice connection 160 may be established between the customer 110 and the advisor 130, when the customer 110 requests help, as will be described below. For one embodiment, the voice connection 160 is established through a conventional telephone system. Alternatively, the voice connection 160 may be established through the network 120, or through some other means, such as satellite.

a The customer 110 can browse a number of sites through the network 120. If the customer 110 requests help, a connection is established between the customer 110 and the advisor 130.

c 5 Figure 2 illustrates one embodiment of a server system in which the present invention may be implemented. For ^{this} ~~one~~ embodiment, the help system ^(not shown) is implemented in a client-server system.

a 10 Figure 3 illustrates a block diagram of one embodiment of a help system. The collaboration unit 300 is located on a server, and permits the advisor to respond to customer help requests. For one embodiment, the collaboration unit 300 is located on the advisor's system. ^A ~~The~~ database unit 360 is located on a server. ^(not shown) For one embodiment, the database unit is located on the same server as the collaboration unit 300. For another embodiment, the database unit 360 is coupled to the collaboration unit 300 through a network connection 355.

a 15 The collaboration unit 300 includes a network connection unit 310, permitting the collaboration unit 300 to interact with a customer. For another embodiment, the collaboration unit 300 also interfaces with the database unit 360 through the network connection unit 310.

a 20 The collaboration unit 300 further includes a communication channel 315. For one embodiment, the communication channel 315 includes a digital connection for text, images, video, etc. and a voice channel. For ^{another} ~~one~~ embodiment, the communication channel 315 is established through the network connection unit 310.

25 The collaboration unit 300 further includes a workflow controller 325. The workflow controller 325 controls what cases are routed to each advisor. The workflow controller 325 also tracks the actions of the advisor and opens

and closes cases. For one embodiment, the workflow controller 325 is a single system that controls workflow to all of the advisors.

When a new case is opened by the workflow controller 325, the context grabbing unit 340 collects context information from the customer's system, to aid the advisor in helping the customer. Context information includes the web tracks of the customer, the locations he or she visited prior to asking for help. For one embodiment, the web tracks also include the actions of the customer at the prior locations. For one embodiment, the context may further include customer history. Customer history, for one embodiment, includes previous questions asked by the customer as well as personal information about the customer. All of this information may be used by the advisor to help the customer.

The collaboration unit 300 further may include a synchronization unit 320. For one embodiment, after a case is opened, to respond to a help request, the advisor establishes a connection with the customer through the communication channel 315. For one embodiment, the advisor may also walk the customer through a web page to answer the customer's questions. The synchronization unit 320 allows the customer's and ^{browsers to} advisor's browser display the same text and images at the same time.

The collaboration unit 300 further includes a search system 350, that permits the advisor to search a database to answer the customer's question.

The data may be in ^a ~~the~~ data unit 370 of the database unit 360. For one embodiment, if the advisor does not know the answer to the customer's help request, the search system 350 is automatically engaged to find an answer. For one embodiment, if the advisor can not answer with the help of the search system 350, ^{an} ~~the~~ elevation unit 330 elevates the customer's help request. The

elevation unit 330 collects the context information gathered by the context grabbing unit 340, and the information about the collaborative session collected by the workflow controller 325, and passes them to a second advisor. For one embodiment, the second advisor may be a manager or a technical specialist.

The posting generator 345 may be used if an answer is found to the customer's help request. ^AThe posting generator 345 allows the advisor to "stick" a posting to a web page discussed with the customer. The posting may include text, audio information, video, etc. This posting is associated with the specific web page for the customer. For one embodiment, the posting is persistent and appears on the web page every time the customer opens that web page, or until the customer closes the posting. For one embodiment, the postings generated by the posting generator 345 are stored in the database unit 360, not on the customer's computer system.

A report generation unit 335 may be used to generate a report on a specific case, or on some or all of the cases handled by the collaboration unit 300. For one embodiment, the report generation unit 335 automatically generates reports. Some reports, for example are: the number of questions answered by an advisor, the number of questions asked about any one location, the percentage of customers who asked questions, etc.

The database unit 360 includes ^{a database} data 370 that is searched by the search system 350. The database 370 includes past postings and contexts. The database 370 may further include a help file, a frequently asked questions (FAQ), or other data. The database unit 360 may further include a purge unit 380. The purge unit 380 may purge data in the data unit 370 if the data was not used for a long time. For one embodiment, if a ^{datum} data in the database 370 is

not accessed for a period of time, it is purged. For example, the data may include an expiration date that is refreshed every time an access to the data is made. In this way, unused data is purged. For another embodiment, the purge unit 380 purges data relating to pages that are no longer available.

5 Figures 4-7, ~~illustrates one embodiment of a flow chart of the operation~~
illustrate flow charts of one embodiment of the
of the present invention. Figure 4 illustrates an overview of the
collaboration process.

At block 410, the customer indicates that he or she needs help. For one
embodiment, the help form is accessible from a web page on which the
10 customer has questions. For one embodiment, there is an icon on a web page
can get
a indicating that the customer ~~needs~~ help. When the customer clicks on that
icon, a help request form is displayed, which the customer then completes.
For another embodiment, the customer's system dynamically overlay a help
button over the web page. For yet another embodiment, the customer
15 submits his or her help request via e-mail, telephone, or another method. If
the help request is not submitted in an electronic form, it may be converted
into an electronic query automatically or manually.

At block 415, a case is opened in a workflow system. The workflow
system is on a server that receives the help request. In response to receiving a
20 help request, a case is opened. For one embodiment, the case includes the
identity of the customer, the customer's specific question, and other
another
a information. For ~~one~~ embodiment, the other information may include a
history of previous questions from the same customer, information about the
skill level of the customer, and any further available information that
25 improves a interaction between the customer and the customer service
system.

At block 420, the process tests whether the customer is using a thin client or a thick client. A thick client is a system that automatically collects all relevant information from the customer. A thin client may only collect the customer's identity. For one embodiment, if the help request was received
5 through an e-mail request, telephonic request, or by another means, the client is designated as a thin client.

If the customer is using a thick client, relevant information is automatically collected by the system. If the customer is using a thin client, the process continues to block 425. At block 425, context is collected. The
10 process then continues to block 430. If a thick client was used, the process continues directly ^{from block 420 to block 430} ~~to block 430 direction~~.

At block 430, the process queries to determine the priority of response. The customer may indicate a number of possible priorities. For one embodiment, the priorities are high, medium, and low.

15 If low priority was selected, the process continues to block 445, and a self-service lookup is initiated. The self-service lookup is described in more detail with respect to Figure 5.

If medium priority was selected, the process continues to block 440, and an asynchronous collaboration is initiated. Asynchronous collaboration is
20 described in more detail with respect to Figure 6.

If high priority was selected, the process continues to block 435, and a synchronous collaboration is initiated. Synchronous collaboration is described in more detail with respect to Figure 7.

Each of the types of responses, synchronous collaboration at block 435,
25 asynchronous collaboration at block 440, and self-help lookup at block 445, continue to block 450.

At block 450, data is saved in a database 450. The database 450 is available to the advisor, and may be available to the customer, for searching. The data saved in the database 450 enables a second advisor to determine what the question and the answer were. The database 450 is used to provide
5 consistent answers, and enhance searching for an answer.

At block 455, the workflow case database is updated. This update indicates how the customer's question was disposed of, and that the case was completed. For one embodiment, the information is entered by the advisor. Alternatively, the process may automatically determine the disposal of the
10 case, and update the database.

At block 460, the customer's personal solution, determined during the session at block 435, 440, or 445, is posted. This solution is now available to the customer persistently. The answer is also available to other customers through the database.

15 Figure 5 illustrates one embodiment of the process of self-service lookup. At block 510, the self-service lookup is initiated. For one embodiment, the self-service lookup is initiated in response to a customer posting a low priority help request.

At block 515, the process tests whether the customer has selected a
20 search basis. For one embodiment, the type of search used depends on the search basis. For one embodiment, the search basis may include:

- keywords, i.e. a text search,
- context, a current location from which the help was requested,
- structured search, i.e. searching through a tree.

One of these search bases may be selected. Alternatively, a combination of one or more of these search bases may be selected, for example a context based search further refined using keywords.

For another embodiment, this step may be skipped and the process may automatically select the search type. For another embodiment, a combination of one or more of the search ^{bases} ~~basis~~ may be used for the search.

If the customer selects a text search, the process continues to block 520. At block 520, a search data entry block is displayed, allowing the customer to type in a search. For one embodiment, the search is a Boolean search, allowing a complex query. For another embodiment, the text search is an English search that allows the customer to type in a query in normal English, and the search engine parses the query to obtain search terms. Alternative ways of searching are known in the art and may be used. When the customer enters the query, the process continues to block 535.

If the customer selects a "current page" based search, the process continues to block 525. At block 525, postings relating to the current page from which the customer requested help are displayed. For one embodiment, the postings are displayed with headers indicating the topic of the posting, allowing the customer to select postings that may be relevant to the customer's question. For one embodiment, the process then continues to block 545. Alternatively, if there are too many postings associated with the page, the process may continue to block 535.

If the customer selects a "context based" search, the process continues to block 530. At block 530, the process obtains the customer's web tracks. The web tracks, for one embodiment, include past locations, i.e. what web pages the customer visited prior to asking for help. The web tracks may further

13

003395.P001

003395.P001

include the actions of the customer at each of the previous sites. For one embodiment, the web tracks include only those sites and actions that are relevant. Thus, for example, if prior to starting the process leading to the current question, the customer visited other sites, such as a search engine,
5 web store, bank, etc., that information is not collected. The process then continues to block 535.

At block 535, the customer is allowed to select keys/specificity. The customer may, at this point, select how closely the context, text, or page location of the customer has to match the data associated with the postings to
10 be displayed. For one embodiment, this block may be left out of the process. For another embodiment, this block is selectively included in the process if the number of postings found otherwise is excessive.

At block 540, a set of hierarchical folders is displayed with headers indicating the type of postings included in each of the folders. For another
15 embodiment, an alternative means of display may be used.

At block 545, the customer is allowed to narrow or broaden the search. For one embodiment, the customer changes the scope of the search using slide selection bars. One embodiment of bars are illustrated in Figure 8.

At block 550, the process determines whether the customer has found
20 an answer. For one embodiment, the customer may indicate that he or she has found an answer by pushing an "answer found" button, or the process may determine in some other way that the customer has found the answer.

If the answer was not found, the process continues to block 565. At block 565, the customer is permitted to execute a new search or change the
25 search basis. For one embodiment, the customer is also allowed to change the priority of the help request, thereby requesting another type of help. Thus,

14

the customer may decide that he or she can not obtain an answer using self-help, and may request asynchronous or synchronous help.

If the answer was found at block 550, the process continues to block 555. At block 555, the customer may create a posting associated with the web page.

- 5 This posting may clarify the answer the customer has found. This posting is useful for the customer, since it is persistent and remains associated with the web page for this customer. For another embodiment, an electronic agent may push relevant information onto the customer's computer system. For one embodiment, push technology is used. For another embodiment,
- 10 relevant information tagged by the customer is saved to the customer's system using another method.

- At block 560, the customer's click stream, or web tracks, are added to the context for the answer. Thus, the context gathered during this interaction is added to the context of the answer in the database. For one embodiment, the
- 15 search text may also be added to the context for the answer. Adding this information to the context simplifies the search procedure for the next customer who has a similar query.

- For another embodiment, the self-help process may be simplified. In that instance, the context-based search is automatically selected. The process
- 20 then determines an answer, and an electronic agent pushes the answer to the customer's system. This methodology does not require customer interaction with the help system. The process described with respect to Figure 5 is used, but all decisions indicated to be made by the customer are automated. For one embodiment, the customer can select this type of self-help. For another
- 25 embodiment, based on customer information, i.e. if the customer is

15

inexperienced with computers, the system may automatically select this agent based self-help method.

Figure 6 illustrates the process of asynchronous collaboration.

Asynchronous collaboration permits the customer to post a help query. The help query is answered by an advisor at a later time, and the response is posted to the customer. The customer can then access the answer. This process takes place asynchronously. For one embodiment, asynchronous help generally posts responses to a help query within 24 hours.

At block 610, the asynchronous collaboration is initiated. For one embodiment, the asynchronous collaboration is initiated in response to a customer posting a medium priority help request.

At block 620, the help request is transmitted to an advisor. For one embodiment, the advisor may be a customer service representative. For another embodiment, the advisor may be an artificial intelligence. For yet another embodiment, the advisor may be another customer.

At block 630, the web tracks of the customer requesting help are transmitted to the advisor. As described above, the web tracks may include past locations and past actions of the customer.

At block 640, the customer's history is retrieved. For one embodiment, the customer's history may include previous help requests. For another embodiment, the customer's history may include the customer's previous actions with respect to this help request. Thus, for example, if the customer initially did a self-help search, this information is transmitted to the advisor.

At block 650, the process tests whether the advisor has an answer for the customer's request. The advisor may have more experience than the customer, and may be able to obtain an answer without searching. If the

adviser has an answer, the process continues to block 670, otherwise, the process continues to block 655.

At block 655, the adviser is prompted to look up the help request in an answer database. The answer database search for the adviser is similar to the search for the self-help, as discussed with respect to Figure 5. For one embodiment, the adviser is also able to use a more command-oriented interface for more in-depth searching.

At block 660, the process tests whether the answer was found in the database. For one embodiment, the adviser indicates whether the answer was found by selecting the answer or selecting a "no answer found" button.

If an answer was found, the process continues to block 670. If no answer was found, the process continues to block 665. At block 665, the adviser elevates the help request. As described above, elevating the help request passes the request and associated information to someone else. The process then returns to block 650, where the process determines whether the new adviser, to whom the help request was elevated, has an answer.

If an answer was found at block 650 or 660, the process continues to block 670. At block 670, the answer is posted to the customer. For one embodiment, the answer may be posted as a separate document, a posting directly associated with the web site, or in some other way. The answer may include text, video, audio or other display technology indicating an answer to the customer's help query.

At block 680, the process determines whether the answer exists in the database. For one embodiment, if the adviser knew the answer, and did not find it in the database, the answer may be new to the system. If the answer is found in the database, the process continues to block 685.



At block 685, the information from the customer is added to the existing answer. For one embodiment, the information may include the customer's web tracks, meta-tags, information associated with the help query, as well as the help query itself. This allows the next advisor or customer
5 looking for the answer to find it more easily.

If the answer was not found in the database, the process continues to block 690. At block 690, the answer and some associated information is added to the database. For one embodiment, the answer is added into a folder. For
a ^{another} ~~one~~ embodiment, the associated information may include the customer's web
10 tracks, meta-tags associated with the help query, as well as the help query itself. The customer has an answer accessible to the customer and available to advisors and/or customers through the database.

Figure 7 illustrates the process of synchronous collaboration. At block 710, the synchronous collaboration is initiated. Synchronous collaboration
15 provides almost instantaneous personal help to the customer. For one embodiment, the synchronous collaboration is initiated in response to a customer posting a high priority help request.

At block 710, the synchronous collaboration is initiated. For one embodiment, if the customer posted the help request through e-mail or
20 telephone, the synchronous collaboration is initiated when an Internet connection is established between the customer and the agent.

At block 720, the help request, web tracks, and customer history is transmitted to the advisor that will handle this help request. For one embodiment, help requests are allocated to advisors on a time basis, i.e. the
25 advisor that is not busy will receive the next help request. For another embodiment, help requests may be allocated based on the advisor's level of

knowledge in the area of the help request. For another embodiment, the customer's history may influence what advisor receives the help request.

At block 730, the advisor is permitted to prepare by reviewing the customer's data. This informs the advisor of the question the customer has,
5 as well as prior interactions between the help system and the customer.

At block 740, a collaboration connection is established between the advisor and the customer. For one embodiment, the advisor presses a button indicating that the advisor is ready to collaborate with the customer. For one embodiment, this establishes a network link between the customer and the
10 advisor. For another embodiment, the advisor may also establish a voice link with the customer.

At block 750, the advisor may decide to open a synchronized collaboration window, so that the display for the advisor and the customer is identical. This may be helpful to clarify the problem and/or answer. For one
15 embodiment, this step may be left out. For another embodiment, the advisor may decide to establish the window or not establish the window based on the type of question asked by the customer. For another embodiment, the customer may refuse the establishment of the synchronized collaboration window. If the customer refuses to establish the window, the process
20 continues directly to block 770. If the customer does not refuse the establishment of a synchronized window, the process continues to block 760.

At block 760, a synchronized collaboration window is opened on both
a ^{systems} ~~system~~. This window allows an identical display, permitting closer
interaction between the customer and the advisor. Furthermore, for one
25 embodiment, the synchronous collaboration window allows the advisor to

see the same display as the customer even if the customer's question comes from a personalized web page.

At block 770, the process determines whether the advisor has an answer to the customer's query. If the advisor has an answer, the process
5 continues to block 790. If the advisor does not have an answer, the process continues to block 775.

At block 775, a database window is opened. For one embodiment, the database window is a separate window from the collaboration window, and the synchronous collaboration window. For one embodiment, the database
10 window is invisible to the customer. For another embodiment, the database window is visible to the customer. The advisor then searches the database.

At block 780, the process determines whether the advisor has found an answer in the database. If the advisor has found an answer, the process returns to block 790. If the advisor did not find an answer, the process
15 continues to block 785. At block 785, the help request is elevated. For one embodiment, the customer is informed of this elevation, and the customer further interacts with the new advisor who receives the elevated request. For another embodiment, the customer remains with the original advisor, and is not informed of the elevation of the request. Once the request is elevated, the
20 process returns to block 770, determining whether the advisor to whom the request was elevated has an answer.

If an answer was found at block 770 or block 780, the process continued to block 790. At block 790, the answer is posted to the collaboration window of the customer. For one embodiment, the collaboration window is a
25 synchronous collaboration window displaying web pages synchronously to the customer and the advisor. For another embodiment, the collaboration

window may be a separate window that allows interaction between the customer and the advisor without a synchronous display. The posting may include text, audio, video, and/or any other type of data to answer the customer's question.

5 At block 795, the database is updated. The answer may be added to the database, if it was not found in the database. Alternatively, the information associated with the specific customer's question and web tracks may be added to the answer if the answer was found in the database.

10 This synchronous collaboration provides immediate answers to the customers' high priority questions. In addition, the postings are persistent, and remain associated with the specific page and help query to which they correspond. ^{Each} ~~The each~~ of these types of collaboration also builds a more elaborate database with each request.

15 Figure 8 illustrates one embodiment of ~~the~~ slider bars that may be used to change answers displayed to the customer. These slider bars may be used to select a number of things. For example, the slider bars may determine the similarity between the web tracks of a previous answer in the database and the current query. The less specificity is requested, the more answers may correspond to the help query. The slider bars may also determine such things
20 as the length of the answer requested, the complexity of the answer requested, the format of the answer requested, etc.

For another embodiment, in a search including multiple terms or previous locations, the importance of each of those terms or previous locations may be individually adjusted. Thus, for example, if the customer
25 has visited six previous locations before asking the question, more

21

importance may be attached to one particular previous page during the search.

For one embodiment, these slider bars are adjusted during initial searching. For another embodiment, these slider bars may be moved to refine
5 a search during the search process, based on the types of answers retrieved from the initial search.

In the foregoing specification, the invention has been described with reference to specific exemplary embodiments thereof. It will, however, be evident that various modifications and changes may be made thereto without
10 departing from the broader spirit and scope of the invention as set forth in the appended claims. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

09137989.082198
B6F280.6864ET60

